
New Articles – January/February 2008

Recently Published Articles on HIV, STDs and Related Subjects

Compiled by Jsani Henry (jsani.henry@kingcounty.gov)

On-line at: www.metrokc.gov/health/apu/newart/namenu.htm

HIV Prevention

Research

- 1. Missed opportunities for earlier HIV diagnosis within primary and secondary healthcare settings in the UK.**
Burns FM, Johnson AM, Nazroo J, et al. *AIDS*. January 2, 2008; 22(1): 89-96
- 2. Psychiatric disorders, HIV infection and HIV/hepatitis co-infection in the correctional setting**
Baillargeon JG, Paar DP, Wu H, et al. *AIDSCare*. January 2008; 20(1): 51-60 124 – 129
- 3. A process evaluation of the implementation of a computer-based, health provider-delivered HIV-prevention intervention for HIV-positive men who have sex with men in the primary care setting**
Chen HT, Grimley DM, Waithaka Y, et al. *AIDSCare*. January 2008; 20(1): 51-60
- 4. The Centers for Disease Control and Prevention Revised Recommendations for HIV Testing: Reactions of Women Attending Community Health Clinics**
Burrage JW, Zimet GD, Cox DS, et al. *JANAC*. January 2008; 19(1): 66-74
- 5. Mother-to-child HIV transmission despite antiretroviral therapy in the ANRS French Perinatal Cohort.**
Warszawski J, Tubiana R, Le Chenadec J, et al. *AIDS*. January 11, 2008; 22(2): 289-300
- 6. Population prevalence of reported and unreported HIV and related behaviors among the household adult population in New York City, 2004.**
Nguyen TQ, Gwynn RC, Kellerman SE, et al. *AIDS*. January 11, 2008; 22(2): 281-288
- 7. Incarceration and Risky Sexual Partnerships in a Southern US City**
Khan MR, Wohl DA, Weir SS, et al. *Journal of Urban Health*. January 2008; 85(1): 100-113
- 8. Prospective Study of Attitudinal and Relationship Predictors of Sexual Risk in the Multicenter AIDS Cohort Study**
Ostrow DG, Silverberg MJ, Cook RL, et al. *AIDS and Behavior*. January 2008; 12(1): 127-138
- 9. Determinants of HIV Seroconversion Among Men Who Have Sex With Men Living in a Low HIV Incidence Population in the Era of Highly Active Antiretroviral Therapies.**
Lavoie E, Alary M, Remis RS, et al. *STDS*. January 2008; 35(1): 25-29
- 10. Degree Distributions in Sexual Networks: A Framework for Evaluating Evidence.**
Hamilton DT, Handcock MS, Morris M. *STDS*. January 2008; 35(1): 30-40

11. **Addressing Poverty as Risk for Disease: Recommendations from the CDC's Consultation on Microenterprise as HIV Prevention**
Stratford D, Mizuno Y, Williams K, et al. *Public Health Reports*. January/February 2008. 123(1); 9-20
12. **STD/HIV Prevention Practices Among Primary Care Clinicians: Risk Assessment, Prevention Counseling, and Testing.**
Montaño DE, Phillips WR, Kasprzyk D, et al. *STDS*. February 2008; 35(2): 154-166
13. **Receipt of HIV and STD Testing Services During Routine General Medical or Gynecological Examinations: Variations by Patient Sexual Risk Behaviors.**
Tao G, Irwin KL. *STDS*. February 2008; 35(2): 167-171
14. **Missed opportunities for diagnosing primary HIV infection**
Sudarshi D, Pao D, Murphy G, et al. *Sex Transm Infect*. February 2008; 84(2): 14-16.
15. **Relative prevalence of different sexually transmitted infections in HIV-discordant sexual partnerships: data from a risk network study in a high-risk New York neighbourhood**
Friedman SR, Bolyard M, Sandoval M, et al. *Sex Transm Infect*. February 2008; 84(2): 17-18.
16. **Sexually Active HIV-Positive Patients Frequently Report Never Using Condoms in Audio Computer-Assisted Self-Interviews Conducted at Routine Clinical Visits**
Schackman BR, Dastur Z, Ni Q, et al. *AIDS Patient Care and STDs*. February 1, 2008; 22(2): 123-129.
17. **HIV Incidence Among Men Diagnosed With Early Syphilis in Atlanta, San Francisco, and Los Angeles, 2004 to 2005.**
Buchacz K, Klausner JD, Kerndt PR, et al. *JAIDS*. February 1, 2008; 47(2): 234-240
18. **In the Shadows of a Prevention Campaign: Sexual Risk Behavior in the Absence of Crystal Methamphetamine**
Groves C, Parsons JT, Bimbi DS, et al. *AIDS Education and Prevention*. February 2008; 20(1): 42-55
19. **"Let's Talk About Sex": Pilot Study of an Interactive CD-ROM to Prevent HIV/STIS in Female Adolescents**
Ito KE, Kalyanaraman S, Ford CA, et al. *AIDS Education and Prevention*. February 2008; 20(1): 78-89

Reports

20. **Studies Illuminate HIV's Inequalities**
Voelker R. *JAMA*. January 23, 2008; 299(3):269-275.
21. **Semen Boosts HIV Spread**
Stephenson J. *JAMA*. January 23, 2008; 299(3):279.
22. **Rapid HIV Testing in Outreach and Other Community Settings—United States, 2004-2006**
CDC. *JAMA*. January 23, 2008; 299(3):280-282.
23. **Walking the Tightrope in Prevention of Mother-to-Child Transmission of HIV Infection**
Gray GE. *Clinical Infectious Diseases*. February 15, 2008; 46(4): 622-624

HIV/AIDS Care

Research

24. **Maintaining Antiretroviral Therapy Reduces the Risk of AIDS-Defining Events in Patients with Uncontrolled Viral Replication and Profound Immunodeficiency**
Kousignian I, Abgrall S, Grabar S, et al. *Clinical Infectious Diseases*. January 15, 2008; 46 (2):296-304
25. **The role of antiretroviral therapy in the incidence of pancreatitis in HIV-positive individuals in the EuroSIDA study.**
Smith CJ, Olsen CH, Mocroft A, et al. *AIDS*. January 2, 2008; 22(1): 47-56

- 26. Differential adherence to combination antiretroviral therapy is associated with virological failure with resistance.**
Gardner EM, Sharma S, Peng G, et al. *AIDS*. January 2, 2008; 22(1): 75-82
- 27. Survival following HIV infection of a cohort followed up from seroconversion in the UK.**
Ewings FM, Bhaskaran K, McLean K, et al. *AIDS*. January 2, 2008; 22(1): 89-96
- 28. Are previous treatment interruptions associated with higher viral rebound rates in patients with viral suppression?.**
The UK Collaborative HIV Cohort (UK CHIC) Study. *AIDS*. January 30, 2008; 22(3): 349-356
- 29. Patterns, Predictors, and Consequences of Initial Regimen Type among HIV-Infected Women Receiving Highly Active Antiretroviral Therapy**
Golub ET, Benning L, Sharma A, et al. *Clinical Infectious Diseases*. January 15, 2008; 46(2):305-312
- 30. HIV disclosure among adults living with HIV**
Mayfield Arnold E, Rice E, Flannery D, et al. *AIDSCare*. January 2008; 20(1): 80 – 92
- 31. The quality of care received by HIV patients without a primary provider**
Ding L, Landon BE, Wilson IB, et al. *AIDSCare*. January 2008; 20(1): 35 – 42
- 32. Promoting Adaptive Coping by Persons With HIV Disease: Evaluation of a Patient/Partner Intervention Model**
Fife BL, Scott LL, Fineberg NS, et al. *JANAC*. January 2008; 19(1): 75-84
- 33. Improving Women's Adjustment to HIV Infection: Results of the Positive Life Skills Workshop Project**
Bova C, Burwick TN, Quinones M. *JANAC*. January 2008; 19(1): 58-65
- 34. Women's Voices: The Lived Experience of Pregnancy and Motherhood After Diagnosis With HIV**
Sanders LB. *JANAC*. January 2008; 19(1): 47-57
- 35. Health Concerns of Mature Women Living With HIV in the Midwestern United States**
Enriquez M, Lackey N, Witt J. *JANAC*. January 2008; 19(1):37-46
- 36. Low-Income HIV-Infected Women and the Process of Engaging in Healthy Behavior**
Riley TA, Lewis BM, Lewis MP, et al. *JANAC*. January 2008; 19(1): 3-15
- 37. Initiation of Antiretroviral Therapy at CD4 Cell Counts \geq 350 Cells/mm³ Does Not Increase Incidence or Risk of Peripheral Neuropathy, Anemia, or Renal Insufficiency.**
Lichtenstein KA, Armon C, Buchacz K, et al. *JAIDS*. January 2008; 47(1): 27-35
- 38. A Sudden Rise in Viral Load Is Infrequently Associated With HIV-1 Superinfection.**
Jurriaans S, Kozaczynska K, Zorgdrager F, et al. *JAIDS*. January 2008; 47(1): 69-73
- 39. Concurrent HIV/AIDS Diagnosis Increases the Risk of Short-Term HIV-Related Death among Persons Newly Diagnosed with AIDS, 2002–2005**
Hanna DB, Pfeiffer MR, Torian LV, et al. *AIDS Patient Care and STDs*. January 1, 2008; 22(1): 17-28.
- 40. Emotional Support and Affect: Associations with Health Behaviors and Active Coping Efforts in Men Living with HIV**
Deichert NT, Fekete EM, Boarts JM, et al. *AIDS and Behavior*. January 2008; 12(1): 139-145
- 41. HIV Treatment Adherence and Sexual Functioning**
Miguez-Burbano MJ, Espinoza L, Lewis JE. *AIDS and Behavior*. January 2008; 12(1): 78-85

- 42. Influence of Alternative Thresholds for Initiating HIV Treatment on Quality-Adjusted Life Expectancy: A Decision Model**
Braithwaite RS, Roberts MS, Chang CCH, et al. *Annals of Internal Medicine*. February 5, 2008; 148(3): 178-185
- 43. Providers' Perceived Barriers to Sexually Transmitted Disease Care in 2 Large Health Maintenance Organizations.**
Mark H, Irwin K, Sternberg M, et al. *STDS*. February 2008; 35(2): 184-189
- 44. Routine Anal Cytology Screening for Anal Squamous Intraepithelial Lesions in an Urban HIV Clinic.**
Scott H, Khoury J, Moore BA, et al. *STDS*. February 2008; 35(2): 197-202
- 45. The Costs of HIV Antiretroviral Therapy Adherence Programs and Impact on Health Care Utilization**
Sansom SL, Anthony MN, Garland WH, et al. *AIDS Patient Care and STDs*. February 1, 2008; 22(2): 131-138.
- 46. Virologic Determinants of Success After Structured Treatment Interruptions of Antiretrovirals in Acute HIV-1 Infection.**
Lewin SR, Murray JM, Solomon A, et al. *JAIDS*. February 1, 2008; 47(2):140-147
- 47. Efficacy and Safety of Atazanavir, With or Without Ritonavir, as Part of Once-Daily Highly Active Antiretroviral Therapy Regimens in Antiretroviral-Naive Patients.**
Malan DRN, Krantz E, David N, et al. *JAIDS*. February 1, 2008; 47(2):161-167
- 48. Changes in Outcome of Persons Initiating Highly Active Antiretroviral Therapy at a CD4 Count Less Than 50 Cells/mm³.**
Porter K, Walker S, Hill T, et al. *JAIDS*. February 1, 2008; 47(2): 202-205
- 49. Dual Nucleoside Reverse Transcriptase Inhibitor Therapy in the Combination Antiretroviral Therapy Era and Predictors of Discontinuation or Switch to Combination Antiretroviral Therapy.**
Selinger-Leneman H, Matheron S, Mahamat A, et al. *JAIDS*. February 1, 2008; 47(2): 206-211
- 50. Determinants of HIV Progression and Assessment of the Optimal Time to Initiate Highly Active Antiretroviral Therapy: PISCIS Cohort (Spain).**
Jaén Á, Esteve A, Miró JM, et al. *JAIDS*. February 1, 2008; 47(2): 212-220
- 51. Risk of Hepatitis-Related Mortality Increased Among Hepatitis C Virus/HIV-Coinfected Drug Users Compared With Drug Users Infected Only With Hepatitis C Virus: A 20-Year Prospective Study.**
Smit C, Van Den Berg C, Geskus R, et al. *JAIDS*. February 1, 2008; 47(2): 221-225
- 52. Practice Makes Perfect: A Volume-Outcome Study of Hospital Patients With HIV Disease.**
Hellinger F. *JAIDS*. February 1, 2008; 47(2): 226-233
- 53. Incidence and outcomes of malignancy in the HAART era in an urban cohort of HIV-infected individuals.**
Long JL, Engels EA, Moore RD, *AIDS*. February 19, 2008; 22(4): 349-356
- 54. A randomized comparison of two instruments for measuring self-reported antiretroviral adherence**
Mannheimer S, Thackeray L, Huppler Hullsiek K, et al. *AIDSCare*. February 2008; 20(1):161 – 169
- 55. HIV patient insight on adhering to medication: a qualitative analysis**
Beusterien KM, Davis EA, Flood R, et al. *AIDSCare*. February 2008; 20(1): 244 – 252

56. Early Predictors of Mortality from *Pneumocystis jirovecii* Pneumonia in HIV-Infected Patients: 1985–2006

Walzer PD, Evans HER, Copas AJ, et al. *Clinical Infectious Diseases*. February 15, 2008; 46(4): 622-624

Reports

57. Is There Anything New in *Pneumocystis jirovecii* Pneumonia? Changes in *P. jirovecii* Pneumonia over the Course of the AIDS Epidemic

Morris A. *Clinical Infectious Diseases*. February 15, 2008; 46(4): 634-639.

MSM/LGBT

Research

58. Knowledge and acceptability of alternative HIV prevention bio-medical products among MSM who bareback

Nodin N, Carballo-Diéguez A, Ventuneac AM, et al. *AIDSCare*. January 2008; 20(1): 106 – 115

59. Prevalence and correlates of HIV testing in a multi-site sample of young men who have sex with men

Sumartojo E, Lyles C, Choi K, et al. *AIDSCare*. January 2008; 20(1): 1 – 14

60. Moderating Effects of Age on the Alcohol and Sexual Risk Taking Association: An Online Daily Diary Study of Men Who have Sex with Men

Mustanski B. *AIDS and Behavior*. January 2008; 12(1): 118-126

61. Cognitive Executive Functioning in Relation to HIV Medication Adherence Among Gay, Bisexual, and other Men who have Sex with Men

Solomon TM, Halkitis PN. *AIDS and Behavior*. January 2008; 12(1): 68-77

62. Estimating HIV Prevalence and Risk Behaviors of Transgender Persons in the United States: A Systematic Review

Herbst JH, Jacobs ED, Finlayson TJ, et al. *AIDS and Behavior*. January 2008; 12(1): 1-17

63. Men Who Have Sex with Transgender Women: Challenges to Category-based HIV Prevention

Operario D, Burton J, Underhill K, et al. *AIDS and Behavior*. January 2008; 12(1): 18-26

64. HIV Serostatus Disclosure to Sexual Partners among HIV-Positive Methamphetamine-Using Gay, Bisexual, and Other Men Who Have Sex With Men

McCready KC, Halkitis PN. *AIDS Education and Prevention*. February 2008; 20(1): 15-29

65. Experiences and Sexual Behaviors of HIV-Infected MSM Who Acquired HIV in the Context of Crystal Methamphetamine Use

Mimiaga MJ, Fair AD, Mayer KH, et al. *AIDS Education and Prevention*. February 2008; 20(1): 30-41

66. HIV and STD Status Among MSM and Attitudes About Internet Partner Notification for STD Exposure.

Mimiaga MJ, Tetu AM, Gortmaker S, et al. *STDS*. February 2008; 35(2): 111-116

67. Factors associated with HIV seroconversion in gay men in England at the start of the 21st century

Macdonald N, Elam G, Hickson F, et al. *Sex Transm Infect*. February 2008; 84(1): 8-13.

68. Limited Knowledge and Use of HIV Post- and Pre-Exposure Prophylaxis Among Gay and Bisexual Men.

Liu AY, Kittredge PV, Vittinghoff E, et al. *JAIDS*. February 1, 2008; 47(2): 241-247

People of Color

Research

- 69. Incarceration, African Americans and HIV: Advancing a Research Agenda**
Harawa N, Adimora A. *Journal of the National Medical Association*. January 2008; 100(1): 57-63.
- 70. Research Needed to More Effectively Combat HIV among African-American Men Who Have Sex with Men**
Bing EG, Bingham T, Millett GA. *Journal of the National Medical Association*. January 2008; 100(1): 52-56.
- 71. African-American Sexuality and HIV/AIDS: Recommendations for Future Research**
Wyatt GE, Williams JK, Myers HF. *Journal of the National Medical Association*. January 2008; 100(1): 44-51.
- 72. HIV/AIDS and the African-American Community: A State of Emergency**
Laurencin CT, Christensen DM, Taylor ED, et al. *Journal of the National Medical Association*. January 2008; 100(1): 35-43.
- 73. African American Women's Experience of Infection with HIV in the Rural Southeastern United States**
Mallory C. *JANAC*. January 2008; 19(1): 16-27
- 74. Adaptation of an HIV Prevention Curriculum for Use With Older African American Women**
Cornelius JB, Moneyham L, LeGrand S, *JANAC*. January 2008; 19(1): 28-36
- 75. Nonsupportive Peer Norms and Incarceration as HIV Risk Correlates for Young Black Men who have Sex with Men**
Jones KT, Johnson WD, Wheeler DP, et al. *AIDS and Behavior*. January 2008; 12(1): 41-50
- 76. Partner Notification of Sexually Transmitted Infections: A Large Cohort of Mexican American and African American Women.**
Thurman AR, Shain RN, Holden AEC, et al. *STDS*. February 2008; 35(2): 136-140
- 77. An Event-Specific Analysis of Condom Breakage Among African American Men at Risk of HIV Acquisition.**
Crosby R, DiClemente RJ, Yarber WL, et al. *STDS*. February 2008;35(2): 174-177
- 78. Correlates of HIV-Related Risk Behaviors in African American Adolescents for Substance-Using Families: Patterns of Adolescent-Level Factors Associated with Sexual Experience and Substance Use.**
Fisher HH, Eke AN, Cance JD, et al. *Journal of Adolescent Health*. February 2008; 42(2): 161-169
- 79. The Feasibility of Modified Directly Observed Therapy for HIV-Seropositive African American Substance Users**
Ma M, Brown BR, Coleman M, et al. *AIDS Patient Care and STDs*. February 1, 2008; 22(2): 139-146.
- 80. The Influence of Psychosocial Characteristics and Race/Ethnicity on the Use, Duration, and Success of Antiretroviral Therapy.**
Pence BW, Ostermann J, Kumar V, et al. *JAIDS*. February 2008; 47(2): 194-201
- 81. Personal and partner measures in stages of consistent condom use among African-American heterosexual crack cocaine smokers**
Pallonen UE, Williams ML, Timpson SC, et al. *AIDSCare*. February 2008; 20(2): 205 – 213
- 82. An investigation of a personal norm of condom-use responsibility among African American crack cocaine smokers**
Williams M, Bowen A, Ross M, et al. *AIDSCare*. February 2008; 20(2): 218 – 227

- 83. Associations among correlates of schedule adherence to antiretroviral therapy (ART): A path analysis of a sample of crack cocaine using sexually active African-Americans with HIV infection**
Atkinson JS, Nilsson Schönnesson L, Williams ML, et al. *AIDSCare*. February 2008; 20(2): 253 – 262
- 84. Long-Term Cocaine Use and Antiretroviral Therapy Are Associated with Silent Coronary Artery Disease in African Americans with HIV Infection Who Have No Cardiovascular Symptoms**
Lai S, Fishman EK, Lai H, et al. *Clinical Infectious Diseases*. February 15, 2008; 46(4): 600-610

Youth

Research

- 85. Inclusion of Adolescents in Preventive HIV Vaccine Trials: Public Health Policy and Research Design at a Crossroads.**
Jaspan HB, Cunningham CK, Tucker TJP, et al. *JAIDS*. January 2008; 47(1): 86-92
- 86. Consistent Condom Use Among Juvenile Detainees: The Role of Individual Differences, Social Bonding, and Health Beliefs**
Broaddus MR, Bryan A. *AIDS and Behavior*. January 2008; 12(1): 59-67

Drug Use and Harm Reduction

Research

- 87. Recent drug use, homelessness and increased short-term mortality in HIV-infected persons with alcohol problems.**
Walley AY, Cheng DM, Libman H, et al. *AIDS*. January 30, 2008; 22(3): 415-420
- 88. Illicit drug use and HIV treatment outcomes in a US cohort.**
Cofrancesco J, Scherzer R, Tien PC, et al. *AIDS*. January 30, 2008; 22(3): 357-366
- 89. Social Network-Related Risk Factors for Bloodborne Virus Infections Among Injection Drug Users Receiving Syringes through Secondary Exchange**
De P, Cox J, Boivin JF, et al. *Journal of Urban Health*. January 2008; 85(1): 77-89
- 90. Drinking and Condom use: Results from an Event-Based Daily Diary**
Leigh BC, Vanslyke JG, Hoppe MJ, et al. *AIDS and Behavior*. January 2008; 12(1): 104 -112
- 91. Medication Adherence Mediates the Relationship between Adherence Self-efficacy and Biological Assessments of HIV Health among those with Alcohol Use Disorders**
Parsons JT, Rosof E, Mustanski B. *AIDS and Behavior*. January 2008; 12(1): 95-103
- 92. Substance Use and Sexual Behavior during Incarceration among 18- to 29-Year Old Men: Prevalence and Correlates**
Seal DW, Margolis AD, Morrow KM, et al. *AIDS and Behavior*. January 2008; 12(1): 1-17
- 93. Increased HIV Risk Associated with Criminal Justice Involvement among Men on Methadone**
Epperson M, El-Bassel N, Gilbert L, et al. *AIDS and Behavior*. January 2008; 12(1): 51-58
- 94. Drug sharing with clients as a risk marker for increased violence and sexual and drug-related harms among survival sex workers**
Shannon K, Kerr T, Bright V, et al. *AIDSCare*. February 2008; 20(2): 228 – 234

STDS

Research

95. **Incarceration and Sexually Transmitted Infections: A Neighborhood Perspective**
Thomas JC, Levandowski BA, Isler MR, et al. *Journal of Urban Health*. January 2008; 85(1): 90-99
96. **Prevalence and Predictors of Sexually Transmitted Infection Among Newly Incarcerated Females.**
Willers DM, Peipert JF, Allsworth JE, et al. *STDS*. January 2008; 35(1): 68-72
97. **Partner Notification for Gonococcal and Chlamydial Infections in Men Who Have Sex With Men: Success Is Underestimated by Traditional Disposition Codes.**
Menza TW, St. De Lore J, Fleming M, et al. *STDS*. January 2008; 35(1): 84-90
98. **Expedited Partner Therapy for Sexually Transmitted Diseases: Assessing the Legal Environment**
Hodge JG, Pulver A, Hogben M, et al. *Am J Public Health*. February 2008; 98(2): 238-243,
99. **The Natural History of Untreated Chlamydia trachomatis Infection in the Interval Between Screening and Returning for Treatment.**
Geisler WM, Wang C, Morrison SG, et al. *STDS*. February 20, 2008; 35(2): 119-123
100. **Does Frequency of Genital Herpes Recurrences Predict Risk of Transmission? Further Analysis of the Valacyclovir Transmission Study.**
Kim HN, Wald A, Harris J, et al. *STDS*. February 2008; 35(2): 124-128
101. **Changes in Demographics and Risk Behaviors of Persons With Early Syphilis Depending on Epidemic Phase.**
Schumacher CM, Ellen J, Rompalo AM, et al. *STDS*. February 2008; 35(2): 190-196
102. **Frequently asked questions about genital warts in the genitourinary medicine clinic: an update and review of recent literature**
Goon P, Sonnex C. *Sex Transm Infect*. February 2008; 84(1): 3-7.
103. **Concordance of chlamydia trachomatis infections within sexual partnerships**
Rogers SM, Miller WC, Turner CF, et al. *Sex Transm Infect*. February 2008; 84(1): 23-28.
104. **Hormonal contraceptive use modulates the local inflammatory response to bacterial vaginosis**
Cherpes TL, Marrazzo JM, Cosentino LA, et al. *Sex Transm Infect*. February 2008; 84(1): 57-61.
105. **In search of optimal genital herpes management and standard of care (INSIGHTS): doctors' and patients' perceptions of genital herpes**
Romanowski B, Zdanowicz YM, Owens ST. *Sex Transm Infect*. February 2008; 84(1): 51-56.

Miscellaneous

Research

106. **Emergence of Multidrug-Resistant, Community-Associated, Methicillin-Resistant *Staphylococcus aureus* Clone USA300 in Men Who Have Sex with Men**
Diep BA, Chambers HF, Graber CJ, et al. *Annals of Internal Medicine*. February 17, 2008; 148(4): 249-257.